

supplementary material

Pressure-temperature stable conditions of the hydride-ion conductive phase in BaH₂ and SrH₂

Satoshi Nakano ^{a*} Hiroshi Fujihisa^b Hiroshi Yamawaki^b Yuki Shibazaki^c
Takumi Kikegawa^c Shin-ichi Orimo^{d,e}

^aResearch Center for Materials Nanoarchitectonics (MANA), National Institute for Materials Science (NIMS), Tsukuba, Ibaraki, Japan; ^bNational Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan; ^cPhoton Factory (PF), Institute of Materials Structure Science (IMSS), High Energy Accelerator Research Organization (KEK), Tsukuba, Ibaraki, Japan; ^dAdvanced Institute for Materials Research (WPI-AIMR), Tohoku University, Sendai, Miyagi, Japan; ^eInstitute for Materials Research (IMR), Tohoku University, Sendai, Miyagi, Japan

* Corresponding author: Satoshi Nakano, e-mail: NAKANO.Satoshi@nims.go.jp,
address: National Institute for Materials Science (NIMS), Tsukuba, Ibaraki 305-0044,
Japan



