

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: jon1e_0m_pl

Bond precision: C-C = 0.0048 A Wavelength=0.71075

Cell: a=10.5717(3) b=16.0616(4) c=19.8423(5)
 alpha=74.638(1) beta=83.107(1) gamma=87.763(1)

Temperature: 110 K

	Calculated	Reported
Volume	3225.24(15)	3225.24(15)
Space group	P -1	P -1
Hall group	-P 1	-P 1
Moiety formula	C68 H75 N5 O2 Pt [+ solvent]	C68 H75 N5 O2 Pt
Sum formula	C68 H75 N5 O2 Pt [+ solvent]	C68 H75 N5 O2 Pt
Mr	1189.41	1189.42
Dx, g cm ⁻³	1.225	1.225
Z	2	2
Mu (mm ⁻¹)	2.219	2.219
F000	1224.0	1224.0
F000'	1221.00	
h, k, lmax	13, 20, 24	13, 20, 24
Nref	13198	13125
Tmin, Tmax	0.821, 0.877	0.671, 0.980
Tmin'	0.521	

Correction method= # Reported T Limits: Tmin=0.671 Tmax=0.980
AbsCorr = MULTI-SCAN

Data completeness= 0.994

Theta(max)= 26.372

R(reflections)= 0.0316(12339)

wR2(reflections)=
0.0836(13125)

S = 1.063

Npar= 703

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

● Alert level C

ABSTY02_ALERT_1_C An _exptl_absorpt_correction_type has been given without
a literature citation. This should be contained in the
_exptl_absorpt_process_details field.

Absorption correction given as Multi-scan

PLAT094_ALERT_2_C	Ratio of Maximum / Minimum Residual Density	3.40	Report
PLAT213_ALERT_2_C	Atom O2 has ADP max/min Ratio	3.7	prolat
PLAT213_ALERT_2_C	Atom C60 has ADP max/min Ratio	3.3	prolat
PLAT220_ALERT_2_C	NonSolvent Resd 1 C Ueq(max)/Ueq(min) Range	5.4	Ratio
PLAT222_ALERT_3_C	NonSolvent Resd 1 H Uiso(max)/Uiso(min) Range	6.4	Ratio
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of	N5	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of	C23	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of	C57	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of	C61	Check
PLAT790_ALERT_4_C	Centre of Gravity not Within Unit Cell: Resd. #	1	Note
	C68 H75 N5 O2 Pt		

● Alert level G

PLAT083_ALERT_2_G	SHELXL Second Parameter in WGHT Unusually Large	6.11	Why ?
PLAT154_ALERT_1_G	The s.u.'s on the Cell Angles are Equal ..(Note)	0.001	Degree
PLAT606_ALERT_4_G	Solvent Accessible VOID(S) in Structure	!	Info
PLAT794_ALERT_5_G	Tentative Bond Valency for Pt (II)	2.34	Info
PLAT868_ALERT_4_G	ALERTS Due to the Use of _smtbx_masks Suppressed	!	Info
PLAT883_ALERT_1_G	No Info/Value for _atom_sites_solution_primary .	Please	Do !
PLAT933_ALERT_2_G	Number of HKL-OMIT Records in Embedded .res File	17	Note
	0 1 0, 0 -1 1, 1 0 0, 0 -1 2, 0 -2 2, -4 18 9,		
	-2 2 1, 1 0 3, 1 30 0, 0 3 0, -1 -1 1, 0 0 2,		
	0 31 7, -2 4 3, 2 1 5, -3 2 0, -1 27 1,		

0 **ALERT level A** = Most likely a serious problem - resolve or explain

0 **ALERT level B** = A potentially serious problem, consider carefully

11 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight

7 **ALERT level G** = General information/check it is not something unexpected

3 ALERT type 1 CIF construction/syntax error, inconsistent or missing data

10 ALERT type 2 Indicator that the structure model may be wrong or deficient

1 ALERT type 3 Indicator that the structure quality may be low

3 ALERT type 4 Improvement, methodology, query or suggestion

1 ALERT type 5 Informative message, check

Validation response form

Please find below a validation response form (VRF) that can be filled in and pasted into your CIF.

```
# start Validation Reply Form
_vrf_ABSTY02_jonle_0m_pl
;
PROBLEM: An _exptl_absorpt_correction_type has been given without
RESPONSE: ...
;
_vrf_PLAT094_jonle_0m_pl
;
PROBLEM: Ratio of Maximum / Minimum Residual Density ....      3.40 Report
RESPONSE: ...
;
_vrf_PLAT213_jonle_0m_pl
;
PROBLEM: Atom O2          has ADP max/min Ratio .....      3.7 prolat
RESPONSE: ...
;
_vrf_PLAT220_jonle_0m_pl
;
PROBLEM: NonSolvent  Resd 1  C  Ueq(max)/Ueq(min) Range      5.4 Ratio
RESPONSE: ...
;
_vrf_PLAT222_jonle_0m_pl
;
PROBLEM: NonSolvent Resd 1  H  Uiso(max)/Uiso(min) Range      6.4 Ratio
RESPONSE: ...
;
_vrf_PLAT242_jonle_0m_pl
;
PROBLEM: Low      'MainMol' Ueq as Compared to Neighbors of      N5 Check
RESPONSE: ...
;
_vrf_PLAT790_jonle_0m_pl
;
PROBLEM: Centre of Gravity not Within Unit Cell: Resd.  #      1 Note
RESPONSE: ...
;
# end Validation Reply Form
```

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

