

Supplementary Materials

Microscopic correlation between magnetostriction and magnetic damping

Ivan Kurniawan,^{1,*} Keita Ito,² Takeshi Seki,^{2,3} Keisuke Masuda,¹ and Yoshio Miura^{1,4}

¹Research Center for Magnetic and Spintronic Materials, National Institute for Materials Science (NIMS), Tsukuba 305-0047, Japan

²Institute for Materials Research, Tohoku University, Sendai 980-8577, Japan

³Center for Science and Innovation in Spintronics, Tohoku University, Sendai 980-8577, Japan

⁴Faculty of Electrical Engineering and Electronics, Kyoto Institute of Technology, Matsugasaki, Sakyo-ku, Kyoto, 606-8585, Japan

[*kurniawan.ivan@nims.go.jp](mailto:kurniawan.ivan@nims.go.jp)

S1. Strain dependence of magnetization of $(\text{Fe}_{1-x}\text{Co}_x)_4\text{N}$ and $\text{Ni}_{1-y}\text{Co}_y$




FIG. S1. Strain dependence of magnetization for (a) $(\text{Fe}_{1-x}\text{Co}_x)_4\text{N}$ with varying x values and (b) $\text{Ni}_{1-y}\text{Co}_y$ with varying y values. Gridlines are added for clarity.

S2. Atomic-resolved partial density of states of tetragonally distorted Fe₄N




FIG. S2. Partial density of states for (a) Fe1, (b) Fe2, (c) Fe3, (d) Fe4 sites of tetragonally distorted Fe₄N

S3. Orbital contribution to the MAE for $(\text{Fe}_{1-x}\text{Co}_x)_4\text{N}$




FIG. S3. Strain dependence of the $\downarrow\Rightarrow\downarrow$ normalized orbital contribution to the MAE calculated from second-order perturbation analysis of $(\text{Fe}_{1-x}\text{Co}_x)_4\text{N}$, divided by atomic site (from top to bottom: Fe1; Fe2; Fe3; Fe4) and orbital combination (from left to right: $d_{zx} - d_{yz}$; $d_{zx} - d_{xy}$; $d_{z^2} - d_{yz}$; $d_{x^2-y^2} - d_{yz}$; $d_{x^2-y^2} - d_{xy}$).

S4. Other orbital contribution to the MAE for $\text{Ni}_{1-y}\text{Co}_y$




FIG. S4. Strain dependence of the $\downarrow \Rightarrow \downarrow$ normalized orbital contribution to the MAE calculated from second-order perturbation analysis of (a) $d_{zx} - d_{xy}$, (b) $d_{zx} - d_{yz}$, (c) $d_{x^2-y^2} - d_{yz}$ of $\text{Ni}_{1-y}\text{Co}_y$